

Open Access Article

Trimethoprim Removal from Aqueous Solutions via Volcanic Ash-Soil Adsorption: Process Modeling and Optimization

by Roberto Lavecchia ¹ , Antonio Zuorro ^{1,*} , bussama Baaloudj ² , and Monica Brienza ^{2,*} ,

 Department of Chemical Engineering, Materials and Environment, Septenza University, Via Eudossiane 18 00184 Rome, Italy
Department of Science. University of Besilicata. Via dell'Altereo Lucano 10, 85100 Potenza, Italy


* Authors to whom correspondence should be addressed.

Weter 2024, 19(5), 2209; https://doi.org/10.3390wr16152209 Submission received: 7 June 2024 / Revised: 26 July 2024 / Accepted: 1 August 2024 / Published: 5 August 2024

(This article belongs to the Section Wastewater Treatment and Reuse)

Volcanic Ash-Soil as a Sustainable Adsorbent for Trimethoprim Removal

Description



Trimethoprim Removal from Aqueous Solutions via Volcanic Ash-Soil Adsorption: Process Modeling and Optimization

by Roberto Lavecchia ¹ , Antonio Zuorro ^{1,*} , Oussama Baaloudj ² , and Monica Brienza ^{2,*}

- ¹ Department of Chemical Engineering, Materials and Environment, Sapienza University, Via Eudossiana 18, 00184 Rome, Italy
- ² Department of Science, University of Basilicata, Via dell'Ateneo Lucano 10, 85100 Potenza, Italy
- * Authors to whom correspondence should be addressed.

Water 2024, 16(15), 2209; https://doi.org/10.3390/w16152209

Submission received: 7 June 2024 / Revised: 26 July 2024 / Accepted: 1 August 2024 / Published: 5 August 2024

(This article belongs to the Section Wastewater Treatment and Reuse)



Within the framework of the **PRIMA-SAFE** project, a new study published in *Water* investigates the use of **volcanic ash-derived soil (VADS)** as a sustainable and cost-effective adsorbent for removing **trimethoprim (TRM)**—a commonly detected antibiotic in reclaimed water. The research also applies **Response Surface Methodology (RSM)** to model and optimize the removal process, addressing critical challenges in water reuse and pharmaceutical pollution.

Key Findings

- VADS achieved a maximum TRM removal efficiency of 77.6% under optimized conditions: 4.5 mg/L initial concentration, 45.5 min contact time, 747 rpm stirring speed, and 0.04 g/mL solid-to-liquid ratio.
- The adsorption process was **accurately modeled and validated**, with an average prediction error of just 3%.
- XRD analysis revealed that TRM adsorption induced **mineralogical changes in the volcanic ash**, confirming strong interactions through **chemisorption**.
- The proposed adsorption mechanism includes **hydrogen bonding**, ?-? interactions, and **metal-ligand complexation**, involving key minerals such as forsterite and fayalite.

Implications

This study highlights the potential of **natural volcanic materials** in the development of **eco-friendly water treatment technologies**. The findings are particularly relevant for safe and efficient water reuse in agriculture, aligning with PRIMA-SAFE's mission to enhance sustainability and reduce environmental risks across the Mediterranean region.

Reference

Lavecchia R., Zuorro A., Baaloudj O., Brienza M. (2024). *Trimethoprim Removal from Aqueous Solutions via Volcanic Ash-Soil Adsorption: Process Modeling and Optimization. Water*, 16(15), 2209. DOI: <u>10.3390/w16152209</u>

Category

1. Publication

Date Created 2025/05/27 Author writer