



Colloids and Surfaces A: Physicochemical and
Engineering Aspects

Volume 765, Part 2, 20 January 2025, 135730



Efficient biochar regeneration for a circular economy: Removing emerging contaminants for sustainable water treatment

Oussama Baaloudj^a, Serge Chiron^b, Angelica Rebecca Zizzamia^a, Vincenzo Trotta^c,
Daniele Del Buono^d, Debora Puglia^e, Marco Rallini^f, Monica Brienzo^a

[Show more](#)

[+ Add to Mendeley](#) [Share](#) [Cite](#)

<https://doi.org/10.1016/j.colsurfa.2024.135730>

[Get rights and content](#)

[Full text access](#)

Regenerating Biochar for Sustainable Water Treatment

Description



Colloids and Surfaces A: Physicochemical and Engineering Aspects

Volume 705, Part 2, 20 January 2025, 135730



Efficient biochar regeneration for a circular economy: Removing emerging contaminants for sustainable water treatment

Oussama Baaloudj^a  , Serge Chiron^b, Angelica Rebecca Zizzamia^a, Vincenzo Trotta^c, Daniele Del Buono^d, Debora Puglia^e, Marco Rallini^e, Monica Brienza^a  

[Show more](#) 

 Add to Mendeley  Share  Cite

<https://doi.org/10.1016/j.colsurfa.2024.135730> 

[Get rights and content](#) 

 [Full text access](#)

A recent study published in *Colloids and Surfaces A: Physicochemical and Engineering Aspects* presents new findings on the use and regeneration of **biochar derived from forest residues** for the removal of emerging contaminants from water systems. Conducted within the framework of the **PRIMA-SAFE** project, the research focused on four common pollutants: **fipronil**, **venlafaxine**, **sulfamethoxazole**, and **trimethoprim**. These compounds are frequently found in wastewater and are recognized for their persistence and potential environmental impact.

Key Findings

- Biochar effectively adsorbed all target pollutants, reaching capacities of up to **3.88 mg/g**.
- **Heat-activated persulfate (PS+T)** was the most efficient regeneration method, preserving **high adsorption performance over five cycles**

- Post-regeneration analyses confirmed the **structural stability and functional integrity** of the biochar, supporting its long-term usability.

Implications

This work demonstrates the feasibility of integrating **low-cost, renewable biochar** into sustainable water treatment practices. Its regeneration via PS+T represents a viable path to reduce waste, extend material lifespan, and contribute to a **circular economy** approach in environmental remediation.

Reference

Baaloudj O., Chiron S., Zizzamia A.R., Trotta V., Del Buono D., Puglia D., Rallini M., Brienza M. (2025). *Efficient biochar regeneration for a circular economy: Removing emerging contaminants for sustainable water treatment.*

Colloids and Surfaces A: Physicochemical and Engineering Aspects.

DOI: [10.1016/j.colsurfa.2024.135730](https://doi.org/10.1016/j.colsurfa.2024.135730)

Category

1. Publication

Date Created

2025/05/27

Author

writer